splenor Surgicals

Manufacturers of Electrosurgical Instruments.

BIPOLAR FORCEPS

OB/GYN LEEP INSTRUMENTS

ELECTROSURGICAL CABLES

LAPAROSCOPIC INSTRUMENTS

CATALOGUE

For more information visit: info@splenorsurgicals.com www.splenorsurgicals.com

Company Profile

Splenor is a world leader in design development and manufacturingof electrosurgical instruments accessories. Our products offering European Bipolar Forceps, US Bipolar Forceps, Monopolar Forceps, Gynecology Instruments Electrodes, Bipolar Cable and other related electrosurgical products.

Our All Instruments are made with high quality stainless steel and coated with special unbreakable and nontoxic nylon material. Our fine instruments are hand crafted for precision and durability.

In 2000, **Splenor** established a position in the electrosurgical arena by offering high quality bipolar, monopolar instruments and accessories introducing cost effective, single use products, These single use items offer reliable products every time, eliminate processing and repair cost and provide a forward thinking innovation in electro surgery.

We maintain our mission "to provide our customers with products and services in a timely manner, that meets their needs for performance, reliability and safety, at a competitive cost."

splenor Surgicals

Address: C-162 S.I.E
Sialkot-Paksitan

Tel: +92 52 3255102

Fax: +92 52 3255102

Email: info@splenorsurgicals.com

www.splenorsurgicals.com

All Our Electrosurgical Instruments are Handmade, why measurements and appearance in this catalogue may differ slightly. This catalogue is to the best of our knowledge accurate and correct; however SPLENOR denies all liability & risk due to misprints and/or inaccuracy. All articles in this catalogue are subject to Change without notice.

Table of Contents

- European Bipolar Forceps..... 1-6
- European Irrigation Bipolar Forceps.....7-7
- European Non-Stick Bipolar Forceps.....8-10
- US Bipolar Forceps.....11-16
- Monopolar Forceps.....17-17
- US Irrigation Bipolar Forceps.....18-18
- US Non-Stick Bipolar Forceps.....19-20
- Hand-Switch Bipolar Forceps.....21-21
- Hand-Switch Monopolar Forceps.....22-22
- Diathermy Instruments.....23-24
- Disposable Bipolar Forceps.....25-26
- OB/Gyn Leep Instruments.....27-29
- OB/Gyn Laser Surgery Instruments.....30-31
- Laparoscopic & Arthoscopic Electrode.....32-33
- Electrosurgical Pencil & Electrode.....34-38
- Electrosurgical Cable.....39-41
- Bipolar Artery Sealer.....42-42

splenor Surgicals

EUROPEAN BIPOLAR FORCEPS

The Crosstex bipolar forceps are available in various lengths and shapes for different surgical and anatomical requirements. The reusable bipolar forceps make it easy to coagulate tissue. Sticking effects on the tips of the forceps are reduced to a minimum

Advantages of Reusable European Bipolar Forceps

- *Highly polished tips reduce tissue adherence.*
- *Light closing force causes less fatigue over time.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Precision tip alignment aids fine control.*
- *Reusable, durable, and designed for multiple uses.*
- *The Instruments is atoclavable.*
- *Compatible with all common electrosurgery unit.*

132° Autoclave

splenor Surgicals

EUROPEAN BIPOLAR FORCEPS



381-100 McPherson



381-102 McPherson Ang.



381-104 Jeweller #5 Str



381-106 Jeweller #5 Ang

381-108 Jeweller #7



381-110 Adson

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-100	McPherson	0.5	10.2
381-102	McPherson Angled	0.5	10.2
381-104	Jeweller #5	0.5, 0.7	11.5
381-106	Jeweller #5 Angled	0.5, 0.7	11.5
381-108	Jeweller #7	0.5, 0.7	11.5
381-110	Adson	1.0	12.0
381-112	Adson	1.0	15.0

132° Autoclave

splenor Surgicals

EUROPEAN BIPOLAR FORCEPS

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-114	Straight	0.5, 1.0, 2.0	15.0
381-116	Straight	0.5, 1.0, 2.0	18.0
381-118	Straight	0.5, 1.0, 2.0	20.0
381-120	Straight	0.5, 1.0, 2.0	22.0
381-122	Straight	0.5, 1.0, 2.0	24.0

splenor Surgicals

EUROPEAN IRRIGATION BIPOLAR FORCEPS

It is well known that depending on the generator and the surface quality of the forceps jaws, coagulated tissue tends to more or less stick to the instrument jaw. This unwanted effect can occur particularly often with liver tissue and is critical in neurosurgery. For these applications in particular, we have designed our Bipolar Forceps with integrated irrigation channel. The coagulation area is irrigated through a built-in irrigation channel inside the forceps branch which can be connected to a standard irrigation hose. By means of this irrigation the sticking of the tissue is substantially reduced and surgical work is made easier.

Advantages of Reusable European Irrigation Bipolar Forceps

- *A universal hub connector allows irrigation tubing to be connected easily.*
- *The ergonomically designed handle provides less fatigue and a well balanced instrument.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *For high visibility our irrigation tube can be recessed into the forceps blank (buried irrigation).*
- *Compatible with all common electrosurgery unit.*

splenor Surgicals

132° Autoclave

EUROPEAN BIPOLAR FORCEPS

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-124	Straight Angled	0.5, 1.0, 2.0	15.0
381-126	Straight Angled	0.5, 1.0, 2.0	18.0
381-128	Straight Angled	0.5, 1.0, 2.0	20.0
381-130	Straight Angled	0.5, 1.0, 2.0	22.0
381-132	Straight Angled	0.5, 1.0, 2.0	24.0

132° Autoclave

splenor Surgicals

EUROPEAN BIPOLAR FORCEPS



Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-134	Bayonet	0.5, 1.0, 2.0	16.5
381-136	Bayonet	0.5, 1.0, 2.0	18.0
381-138	Bayonet	0.5, 1.0, 2.0	20.0
381-140	Bayonet	0.5, 1.0, 2.0	22.0
381-142	Bayonet	0.5, 1.0, 2.0	24.0

132° Autoclave

splenor Surgicals

EUROPEAN BIPOLAR FORCEPS

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-144	Bayonet Angled Up	0.5, 1.0, 2.0	16.5
381-146	Bayonet Angled Up	0.5, 1.0, 2.0	18.0
381-148	Bayonet Angled Up	0.5, 1.0, 2.0	20.0
381-150	Bayonet Angled Up	0.5, 1.0, 2.0	22.0
381-152	Bayonet Angled Up	0.5, 1.0, 2.0	24.0

132° Autoclave

splenor Surgicals

EUROPEAN BIPOLAR FORCEPS

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-154	Bayonet Angled Down	0.5, 1.0, 2.0	16.5
381-156	Bayonet Angled Down	0.5, 1.0, 2.0	18.0
381-158	Bayonet Angled Down	0.5, 1.0, 2.0	20.0
381-160	Bayonet Angled Down	0.5, 1.0, 2.0	22.0
381-162	Bayonet Angled Down	0.5, 1.0, 2.0	24.0

132° Autoclave

splenor Surgicals

EUROPEAN IRRIGATION BIPOLAR FORCEPS



Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-164-IR	Straight Irrigation	0.5, 1.0, 2.0	18.0
381-166-IR	Straight Irrigation	0.5, 1.0, 2.0	20.0
381-168-IR	Bayonet Irrigation	0.5, 1.0, 2.0	18.0
381-170-IR	Bayonet Irrigation	0.5, 1.0, 2.0	20.0

Note: More Bipolar Irrigation Forceps are available use IR extension to any regular bipolar forceps.

splenor Surgicals

NON-STICK EUROPEAN BIPOLAR FORCEPS

During the caogulation process, tissue and tips of forceps can stick together. Crosstex non-stick bipolar forceps are made with a special silver alloy and therefore prevent tissue from sticking. Disturbing and time consuming disruptions for cleaning the tips during surgery are thus avoided. Due to the good thermal qualities of silver the termperature of the forceps tips does not exceed 100°C during coagulation, which enhances the non-stick effect. With over ten years of experience we can guarantee that our bipolar forceps do not stick. The non-stick effect remains constant and is not reduced by frequent sterilization. Our non-stick bipolar forceps together with the appropriate connection cables are compatible with all common types of high-frequency units such as Erbe, Martin, Berchtold, Valleylab. Crosstex Bipolar forceps non-stick are available in straight, angled or bayonet shape. Available lengths range from 110 to 300 mm. Tips can be made from 0.25 to 2.0 mm width. Forceps are also available with different measurements as well as with flat pin or 2-pin plug.

Advantages of Reusable Non-Stick European Bipolar Forceps

- *Ten years of experience speak for themselves. Our forceps do not stick – never!*
- *No cleaning during surgery*
- *Especially high thermal qualities*
- *All Non-stick Bipolar Forceps are re-usable and autoclavable.*
- *Compatible with all common electrosurgery unit.*

132° Autoclave

splenor Surgicals

NON-STICK EUROPEAN BIPOLAR FORCEPS

381-172-NS McPherson

381-174-NS McPherson Angled

381-176-NS Jeweller #5

381-178-NS Jeweller #5 Angled

381-180-NS Adson

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-172-NS	McPherson	0.5,	10.2
381-174-NS	McPherson Angled	0.5,	10.2
381-176-NS	Jeweller #5	0.5, 0.7	11.5
381-178-NS	Jeweller #5 Angled	0.5, 0.7	11.5
381-180-NS	Adson	1.0	12.0

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

132° Autoclave

splenor Surgicals

NON-STICK EUROPEAN BIPOLAR FORCEPS

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref		Tip Size (mm)	Length Size (cm)
381-182-NS	Straight	0.5, 1.0, 2.0	15.0
381-184-NS	Straight	0.5, 1.0, 2.0	18.0
381-186-NS	Straight	0.5, 1.0, 2.0	20.0
381-188-NS	Straight	0.5, 1.0, 2.0	22.0

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

132° Autoclave

splenor Surgicals

NON-STICK EUROPEAN BIPOLAR FORCEPS

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-190-NS	Bayonet	0.5, 1.0, 2.0	16.5
381-192-NS	Bayonet	0.5, 1.0, 2.0	18.0
381-194-NS	Bayonet	0.5, 1.0, 2.0	20.0
381-196-NS	Bayonet	0.5, 1.0, 2.0	22.0

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

splenor Surgicals

US BIPOLAR FORCEPS

The Crosstex bipolar forceps are available in various lengths and shapes for different surgical and anatomical requirements. The reusable Bipolar forceps make it easy to coagulate tissue. Sticking effects on the tips of the forceps are reduced to a minimum.

Advantages of Reusable US Bipolar Forceps

- *Highly polished tips reduce tissue adherence.*
- *Light closing force causes less fatigue over time.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Reusable, durable, and designed for multiple uses.*
- *Precision tip alignment aids fine control.*
- *The Instruments is atoclavable.*
- *Compatible with all common electrosurgery unit.*

132° Autoclave

splenor Surgicals

US OPHTHALMIC BIPOLAR FORCEPS









Tip Chart



Tip size can be changed as per your requirment, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-230	McPherson	0.5	10.2
381-232	McPherson Angled	0.5	10.2
381-234	Coaptation Nedler	0.5	10.2
381-236	Coaptation	0.5	10.8
381-238	Jeweller #5	Needle, 0.5	11.5

132° Autoclave

splenor Surgicals

US OPHTHALMIC BIPOLAR FORCEPS







Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-240	Jeweller #4	Needle, 0.5	11.5
381-242	Tenzel	Needle, 0.5	10.2
381-244	Jeweller #7	Needle, 0.5	11.5
381-246	Iris Straight	Needle, 0.5	10.8
381-248	Iris Angled	0.5, 1.0	10.8

132° Autoclave

splenor Surgicals

US PLASTIC & RECONSTRUCTIVE BIPOLAR FORCEPS









Tip Chart



Tip size can be changed as per your requirment, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-250	Adson	1.0	12.0
381-252	Semkin	0.5, 1.0	14.0
381-254	Cushing	1.0, 1.5, 2.0	15.9
381-256	Cushing	1.0, 1.5, 2.0	17.8

132° Autoclave

splenor Surgicals

US PLASTIC & RECONSTRUCTIVE BIPOLAR FORCEPS









Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-258	Cushing Gursh	1.0, 1.5, 2.0	17.8
381-260	Gerald Straight	1.0, 1.5, 2.0	17.8
381-262	Gerald Angled	1.0, 1.5, 2.0	17.8
381-264	Gerald Bayonet	1.0, 1.5, 2.0	18.4

132° Autoclave

splenor Surgicals

US NEUROGURGICAL BIPOLAR FORCEPS









Tip Chart



Tip size can be changed as per your requirment, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-266	Jansen Bayonet	1.0, 1.5, 2.0	15.2
381-268	Jansen Bayonet	1.0, 1.5, 2.0	17.8
381-270	Jansen Bayonet	1.0, 1.5, 2.0	20.4
381-272	Malis	1.0, 1.5, 2.0	17.8

132° Autoclave

splenor Surgicals

US NEUROGURGICAL BIPOLAR FORCEPS









Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-274	Scoville-Greenwood	1.0, 1.5	19.1
381-276	Yasargil	1.0, 1.5	19.7
381-278	Hardy Bayonet	1.0, 1.5	21.6
381-280	Hardy Bayonet Angled	1.0, 1.5	21.6

splenor Surgicals

MONOPOLAR FORCEPS

Our Monopolar instruments are tested at high volts to ensure proper functioning during the most stringent operations. With the best quality stainless steel, excellent finishing and superior insulation, we provide worldwide guarantee for all our Monopolar instruments.

Advantages of Reusable Monopolar Forceps

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Precision tip alignment aids fine control.*
- *Compatible with all common electrosurgery unit.*

132° Autoclave

splenor Surgicals

MONOPOLAR FORCEPS

381-282 Jeweller #4

381-284 Jeweller #7

381-286 Adson

381-288 Potts-Smith

381-292 Potts-Smith

381-294 Jansen Bayonet

381-296 Jansen Bayonet

381-302 Jansen Bayonet UP

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-282	Jeweller #4	Needle	11.5
381-284	Jeweller #7	Needle	11.5
381-286	Adson	1.0	12.0
381-288	Potts-Smith	2.0	17.8
381-290	Potts-Smith	2.0	21.0
381-292	Potts-Smith	2.0	24.1
381-294	Jansen Bayonet	1.5	13.3
381-296	Jansen Bayonet	1.5	15.9
381-298	Jansen Bayonet	2.0	19.1
381-300	Jansen Bayonet	2.0	21.0
381-302	Jansen Bayonet UP	2.0	19.1
381-304	Jansen Bayonet UP	2.0	21.0

splenor Surgicals

US IRRIGATION FORCEPS

It is well known that depending on the generator and the surface quality of the forceps jaws, coagulated tissue tends to more or less stick to the instrument jaw. This unwanted effect can occur particularly often with liver tissue and is critical in neurosurgery. For these applications in particular, we have designed our Bipolar Forceps with integrated irrigation channel. The coagulation area is irrigated through a built-in irrigation channel inside the forceps branch which can be connected to a standard irrigation hose. By means of this irrigation the sticking of the tissue is substantially reduced and surgical work is made easier.

Advantages of Reusable US Irrigation Forceps

- *A universal hub connector allows irrigation tubing to be connected easliy.*
- *The ergonomically designed handle provides less fatigue and a well balanced instrument.*
- *For high visibility our irrigation tube can be recessed into the forceps blank (buried irrigation).*
- *Compatible with all common electrosurgery unit.*

132° Autoclave

splenor Surgicals

US IRRIGATION FORCEPS



381-306-IR | Hardy Bayonet



381-308-IR | Jansen Bayonet



381-310-IR | Scoville-Greenwood

381-312-IR | Gerald Bayonet



381-314-IR | Straight

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-306-IR	Hardy Bayonet	0.5, 1.0, 1.5	21.6
381-308-IR	Jansen Bayonet	0.5, 1.0, 1.5	19.1
381-310-IR	Scoville-Greenwood	0.5, 1.0, 1.5	19.7
381-312-IR	Gerald Bayonet	0.5, 1.0, 1.5	18.4
381-314-IR	Straight	0.5, 1.0, 1.5	15.9

Note: More Irrigation Bipolar Forceps are available use IR extension to any regular bipolar forceps.

splenor Surgicals

US NON-STICK BIPOLAR FORCEPS

During the caogulation process, tissue and tips of forceps can stick together. Crosstex non-stick bipolar forceps are made with a special silver alloy and therefore prevent tissue from sticking. Disturbing and time consuming disruptions for cleaning the tips during surgery are thus avoided. Due to the good thermal qualities of silver the termperature of the forceps tips does not exceed 100°C during coagulation, which enhances the non-stick effect. With over ten years of experience we can guarantee that our bipolar forceps do not stick. The non-stick effect remains constant and is not reduced by frequent sterilization. Our non-stick bipolar forceps together with the appropriate connection cables are compatible with all common types of high-frequency units such as Erbe, Martin, Berchtold, Valleylab. Crosstex Bipolar forceps non-stick are available in straight, angled or bayonet shape. Available lengths range from 110 to 300 mm. Tips can be made from 0.25 to 2.0 mm width. Forceps are also available with different measurements as well as with flat pin or 2-pin plug.

Advantages of Reusable Non-Stick European Bipolar Forceps

- *Ten years of experience speak for themselves. Our forceps do not stick – never!*
- *No cleaning during surgery*
- *Especially high thermal qualities*
- *All Non-stick Bipolar Forceps are re-usable and autoclavable.*
- *Compatible with all common electrosurgery unit.*

132° Autoclave

splenor Surgicals

US NON-STICK BIPOLAR FORCEPS

381-316-NS McPherson

381-318-NS McPherson Angled

381-320-NS Jeweller #5

381-322-NS Jeweller #4

381-324-NS Adson

381-326-NS Semkin

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-316-NS	McPherson	0.5	10.2
381-318-NS	McPherson Angled	0.5	10.2
381-320-NS	Jeweller #5	Needle, 0.5	11.5
381-322-NS	Jeweller #4	Needle, 0.5	11.5
381-324-NS	Adson	1.0	12.0
381-326-NS	Semkin	0.5, 1.0	14.0

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

132° Autoclave

splenor Surgicals

US NON-STICK BIPOLAR FORCEPS

381-328-NS Cushing

381-332-NS Gerald Bayonet

381-334-NS Jansen Bayonet

381-336-NS Scoville-Greenwood

381-338-NS Yasargil

381-340-NS Hardy Bayonet

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-328-NS	Cushing	1.0, 1.5, 2.0	15.9
381-330-NS	Cushing	1.0, 1.5, 2.0	17.8
381-332-NS	Gerald Bayonet	1.0, 1.5	18.4
381-334-NS	Jansen Bayonet	1.0, 1.5	15.9
381-336-NS	Scoville-Greenwood	1.0, 1.5	19.1
381-338-NS	Yasargil	1.0, 1.5	19.7
381-340-NS	Hardy Bayonet	1.0, 1.5	21.6

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.

132° Autoclave

splenor Surgicals

HAND-SWITCH BIPOLAR FORCEPS



Tip Chart



Tip size can be changed as per your requirment, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-341-HS	Jeweller #4	0.5,	11.5
381-342-HS	Semkin	0.7	14.0
381-343-HS	Jansen Bayonet	0.7	19.1
381-344-HS	Scoville-Greenwood	1.5	19.7

132° Autoclave

splenor Surgicals

HAND-SWITCH MONOPOLAR FORCEPS

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions
fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-345-HS	Jansen Bayonet	2.0	19.0
381-346-HS	Jansen Bayonet	2.0	21.0
381-347-HS	Potts-Smith	2.0	21.0
381-348-HS	Potts-Smith	2.0	24.0

splenor Surgicals

DIATHERMY INSTRUMENTS

Our Diathermy instruments are tested at high volts to ensure proper functioning during the most stringent operations. With the best quality stainless steel, excellent finishing and superior insulation, we provide worldwide guarantee for all our Diathermy instruments. Diathermy instruments are available in four base types. Models popular Diathermy Instruments : Adson, Jeweller, McIndoe, Standard, Bayonet, Artery Forceps, Wilson Hey Forceps, Diathermy Scissors, etc in various lengths, tip sizes, and 4 plug types

Advantages of Reusable Diathermy Instruments

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Precision tip alignment aids fine control.*
- *Compatible with all common electrosurgery unit.*

132° Autoclave

splenor Surgicals

DIATHERMY INSTRUMENTS



Tuner Warwick Scissors (STR)
381-350

Tuner Warwick Scissors (CRV)
381-352

Dressing Scissors (STR)
381-358

Dressing Scissors (CRV)
381-360

Wilson Hey Forceps (STR)
381-366

Wilson Hay Forceps (CRV)
381-368

Artery Forceps (STR)
381-374

Artery Forceps (CRV)
381-376



Abbey Needle
381-382

Richie Forceps
381-384

ENGLISH MONOPOLAR MALE 4.8MM CONNECTOR

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-350	Tuner Warwick Scissors (STR)	-	17.8
381-352	Tuner Warwick Scissors (CRV)	-	17.8
381-354	Tuner Warwick Scissors (STR)	-	23.0
381-356	Tuner Warwick Scissors (CRV)	-	23.0
381-358	Dressing Scissors (STR)	-	17.8
381-360	Dressing Scissors (CRV)	-	17.8
381-362	Dressing Scissors (STR)	-	23.0
381-364	Dressing Scissors (CRV)	-	23.0
381-366	Wilson Hay Forceps (STR)	-	17.8
381-368	Wilson Hay Forceps (CRV)	-	17.8
381-370	Wilson Hay Forceps (STR)	-	23.0
381-372	Wilson Hay Forceps (CRV)	-	23.0
381-374	Artery Forceps (STR)	-	17.8
381-376	Artery Forceps (CRV)	-	17.8
381-378	Artery Forceps (STR)	-	23.0
381-380	Artery Forceps (CRV)	-	23.0
381-382	Abbey Needle	-	17.5
381-384	Richie Forceps	-	17.8
381-386	Richie Forceps	-	20.0
381-388	Richie Forceps	-	23.0

EUROPEAN MONOPOLAR FEMALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-390	Tuner Warwick Scissors (STR)	-	17.8
381-392	Tuner Warwick Scissors (CRV)	-	17.8
381-394	Tuner Warwick Scissors (STR)	-	23.0
381-396	Tuner Warwick Scissors (CRV)	-	23.0
381-398	Dressing Scissors (STR)	-	17.8
381-400	Dressing Scissors (CRV)	-	17.8
381-402	Dressing Scissors (STR)	-	23.0
381-404	Dressing Scissors (CRV)	-	23.0
381-406	Wilson Hay Forceps (STR)	-	17.8
381-408	Wilson Hay Forceps (CRV)	-	17.8
381-410	Wilson Hay Forceps (STR)	-	23.0
381-412	Wilson Hay Forceps (CRV)	-	23.0
381-414	Artery Forceps (STR)	-	17.8
381-416	Artery Forceps (CRV)	-	17.8
381-418	Artery Forceps (STR)	-	23.0
381-420	Artery Forceps (CRV)	-	23.0
381-422	Abbey Needle	-	17.5
381-424	Richie Forceps	-	17.8
381-426	Richie Forceps	-	20.0
381-428	Richie Forceps	-	23.0

splenor Surgicals

132° Autoclave

DIATHERMY INSTRUMENTS



Adson
381-430

McINDOE
381-432

Gillies
381-434

Dissecting
381-442

Gerald
381-450

Adson Bayonet
381-452

Adson Bayonet UP
381-456

Remington Hobb
381-462

ENGLISH MONOPOLAR MALE 4.8MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-430	Adson	1.0	12.0
381-432	McINDOE	1.0, 2.0	15.0
381-434	Gillies	-	15.0
381-436	Gillies	-	17.8
381-438	Gillies	-	20.0
381-440	Gillies	-	24.0
381-442	Dissecting	1.0, 2.0	15.0
381-444	Dissecting	1.0, 2.0	17.8
381-446	Dissecting	1.0, 2.0	21.0
381-448	Dissecting	1.0, 2.0	24.1
381-450	Gerald 1x2	-	17.8
381-452	Adson Bayonet	1.0, 2.0	16.0
381-454	Adson Bayonet	1.0, 2.0	19.1
381-456	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-458	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-460	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-462	Remington Hobb	1.0, 2.0	24.1

EUROPEAN MONOPOLAR FEMALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-364	Adson	1.0	12.0
381-366	McINDOE	1.0, 2.0	15.0
381-368	Gillies	-	15.0
381-370	Gillies	-	17.8
381-372	Gillies	-	20.0
381-474	Gillies	-	24.0
381-476	Dissecting	1.0, 2.0	15.0
381-478	Dissecting	1.0, 2.0	17.8
381-480	Dissecting	1.0, 2.0	21.0
381-482	Dissecting	1.0, 2.0	24.1
381-484	Gerald 1x2	-	17.8
381-486	Adson Bayonet	1.0, 2.0	16.0
381-488	Adson Bayonet	1.0, 2.0	19.1
381-490	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-492	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-494	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-496	Remington Hobb	1.0, 2.0	24.1

ENGLISH MONOPOLAR MALE 4.0MM CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-498	Adson	1.0	12.0
381-500	McINDOE	1.0, 2.0	15.0
381-502	Gillies	-	15.0
381-504	Gillies	-	17.8
381-506	Gillies	-	20.0
381-508	Gillies	-	24.0
381-510	Dissecting	1.0, 2.0	15.0
381-512	Dissecting	1.0, 2.0	17.8
381-514	Dissecting	1.0, 2.0	21.0
381-516	Dissecting	1.0, 2.0	24.1
381-518	Gerald 1x2	-	17.8
381-520	Adson Bayonet	1.0, 2.0	16.0
381-522	Adson Bayonet	1.0, 2.0	19.1
381-524	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-526	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-528	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-530	Remington Hobb	1.0, 2.0	24.1

MONOPOLAR WITHOUT CONNECTOR

Ref	Item Name	Tip Size	Length Size
381-532	Adson	1.0	12.0
381-534	McINDOE	1.0, 2.0	15.0
381-536	Gillies	-	15.0
381-538	Gillies	-	17.8
381-540	Gillies	-	20.0
381-542	Gillies	-	24.0
381-544	Dissecting	1.0, 2.0	15.0
381-546	Dissecting	1.0, 2.0	17.8
381-548	Dissecting	1.0, 2.0	21.0
381-550	Dissecting	1.0, 2.0	24.1
381-552	Gerald 1x2	-	17.8
381-554	Adson Bayonet	1.0, 2.0	16.0
381-556	Adson Bayonet	1.0, 2.0	19.1
381-558	Adson Bayonet Angled UP	1.0, 2.0	16.0
381-560	Adson Bayonet Angled UP	1.0, 2.0	19.1
381-562	Adson Bayonet Angled UP	1.0, 2.0	21.0
381-564	Remington Hobb	1.0, 2.0	24.1

splenor Surgicals

DISPOSABLE BIPOLAR FORCEPS

Crosstex disposable bipolar forceps have been designed and tested to meet the practical. The main purpose for offering single-use bipolar forceps is to avoid the risk of contamination while remaining cost effective and utilizing the functionalities of the higher end forceps. Hardened stainless steel provides an optimum spring tension and serves as the basis for a superior instrument.

Advantages of Disposable Bipolar Forceps

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Precision tip alignment aids fine control.*
- *Cost effective in comparison to re-usable.*
- *All Bipolar forceps available with cable, sterile packed.*
- *Compatible with all common electrosurgery unit.*

132° Autoclave

splenor Surgicals

DISPOSABLE BIPOLAR FORCEPS

381-570-DP | Jeweller #5



381-572-DP | Straight

381-574-DP | Bayonet

381-576-DP | Straight



381-578-DP | Straight Angled

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-570-DP	Jeweller #5 With 3m Cable	0.5	11.5
381-572-DP	Straight With 3m Cable	1.0, 1.5	18.0
381-574-DP	Bayonet With 3m Cable	1.0, 1.5	18.0
381-576-DP	Straight	1.0, 1.5	18.0
381-578-DP	Bayonet	1.0, 1.5	20.0

Note: More Disposable Bipolar Forceps are Available Use DP extension to any regular Bipolar Forceps.

132° Autoclave

splenor Surgicals

DISPOSABLE BIPOLAR FORCEPS

Tip Chart



Tip size can be changed as per your requirment, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

Ref	Item Name	Tip Size (mm)	Length Size (cm)
381-580-DP	US. Gerald	1.0, 1.5	17.8
381-582-DP	US. Jansen Bayonet Irrigation	1.0, 1.5	19.1
381-584-DP	US. Jansen Bayonet	1.0, 1.5	17.8
381-586-DP	US. Jeweller #5	0.5	11.5
381-588-DP	US. Adson	1.0	12.1

Note: More Disposable Bipolar Forceps are Available Use DP extension to any regular Bipolar Forceps.

splenor Surgicals

OB/GYN LEEP INSTRUMENTS



The first choice for proven performance, Crosstex provides the broadest selection of fully autoclavable instruments for LEEP procedures. Our "rose coated" instruments will provide you with durability and performance unmatched in the industry. Models Available: Graves, Pederson, VU-More, 4-Way, Cusco, Collin, Weisman, Gelpi, Rigby, Lateral, Lateral Vaginal, Endocervical, Iris, Emmet, Straight, two-prong, three-prong, etc.

132° Autoclave

splenor Surgicals

Disposable Tube

Graves Vaginal Speculum
With Smoke Evacuation Tube
Small **381-600**
Medium **381-602**
Large **381-604**

Small **381-606**
Medium **381-608**
Large **381-610**

Disposable Tube

Pederson Vaginal Speculum
With Smoke Evacuation Tube
Small **381-612**
Medium **381-614**
Large **381-616**

Small **381-618**
Medium **381-620**
Large **381-622**

Disposable Tube

VU-Max Grave Vaginal Speculum
With Smoke Evacuation Tube
Medium **381-624**
Large **381-626**

Medium **381-628**
Large **381-630**

Disposable Tube

VU-Max Pederson Vaginal Speculum
With Smoke Evacuation Tube
Medium **381-632**
Large **381-634**

Medium **381-636**
Large **381-638**

Collin Vaginal Speculum
With Smoke Evacuation Tube
Small **381-640**
Medium **381-642**
Large **381-644**

Cusco Vaginal Speculum
With Smoke Evacuation Tube
Small **381-646**
Medium **381-648**
Large **381-650**

132° Autoclave

splenor Surgicals

Disposable Tube

VU-More Graves Vaginal Speculum
With Smoke Evacuation Tube
Medium **381-652**
Large **381-654**

Medium **381-656**
Large **381-658**

4-Blades Speculum
With Smoke Evacuation Tube
Medium **381-660**
Large **381-662**

Disposable Tube

Weisman Vaginal Speculum
Right Side Open
With Smoke Evacuation Tube
Medium **381-664**
Large **381-666**

Medium **381-668**
Large **381-670**

Disposable Tube

Weisman Vaginal Speculum
Left Side Open
With Smoke Evacuation Tube
Medium **381-672**
Large **381-674**

Medium **381-676**
Large **381-678**

Lateral Retractor
Wide Open
381-680

Rigby Retractor
Wide Open
381-682

Gelpi Retractor
Wide Open
381-684

Kogan Speculum
3mm 381-686
4mm 381-688
5mm 381-690

Lateral Retractor
21cm 22mmx75mm
381-692

132° Autoclave

splenor Surgicals

Schroeder Tanaculum 24cm
381-694

Schroeder Tanaculum 24cm
381-696

Single Tooth Tanaculum 24cm
381-698

Campion Forceps 22cm
381-700

Spong Forceps 22cm
381-702

Dressing Forceps
381-704 21cm
381-706 25cm

Tissue Forceps
381-708 21cm
381-710 25cm

Iris Hook
381-712 25cm

Emmet Hook
381-714 25cm

Emmet Hook Straight
381-716 25cm

Emmet Hook Two Prong
381-718 25cm

Emmet Hook Three Prong
381-720 25cm

splenor Surgicals

OB/GYN LASER SURGERY INSTRUMENTS

Through a non-reflective coating technique the glare produced during laser surgery is significantly minimized. The stainless steel surface is specially prepared keeping in mind the superior coating requirements for our range of laser surgery instruments. Custom sizes and shapes are available as well as partial gold plating services for certain instruments as per customer requirements. Models Available: Graves, Pederson, VU-More, 4-Way, Cusco, Collin, Weisman, Gelpi, Rigby, Lateral, Lateral Vaginal, Endocervical, Iris, Emmet, Straight, two-prong, three-prong, etc.

132° Autoclave

splenor Surgicals

OB/GYN LASER SURGERY INSTRUMENTS

Graves Vaginal Speculum
With Smoke Evacuation Tube
Small **381-750**
Medium **381-752**
Large **381-754**

Lateral Vaginal Speculum
381-766

Pederson Vaginal Speculum
With Smoke Evacuation Tube
Small **381-756**
Medium **381-758**
Large **381-760**

Kogan Endocervical Speculum

3mm 381-770

4mm 381-772

5mm 381-774

Collin Vaginal Speculum
With Smoke Evacuation Tube
Small **381-762**
Medium **381-764**
Large **381-766**

132° Autoclave

splenor Surgicals

OB/GYN LASER SURGERY INSTRUMENTS

Rigby Retractor
381-778

Gelpi Retractor
381-776

Schroeder Tenaculum
381-780

Iris Hook
381-782

Emmet Hook
381-784

Emmet Hook Straight
381-786

Emmet Hook Two Prong
381-788

Emmat Hook Three Prong
381-790

splenor Surgicals

LAPAROSCOPIC & ARTHOSCOPIC ELECTRODE

These E-Z Clean Laparoscopic Electrodes are made from very high quality raw material which ensures hassle free work performance at its user end. These E-Z Clean Laparoscopic Electrodes are widely finds its applications in various medical sectors.

Salient Features of our E-Z Clean Laparoscopic Electrodes

- *Provide excellent dissection and coagulation for a variety of surgical applications.*
- *High-tech PTFE coating for reduced eschar buildup.*
- *Reintroduction during surgery is minimized.*
- *Lower power settings for safer delivery of electrosurgery.*
- *Tips are cost-effective because they Save Time and Money.*

132° Autoclave

splenor Surgicals

LAPAROSCOPIC & ARTHOSCOPIC ELECTRODE

Without Suction

L-Hook Electrode 36cm
381-800

J-Hook Electrode 36cm
381-802

Needle Electrode 36cm
381-804

Spectula Electrode 36cm
381-806

Ball Electrode 36cm
381-808

With Suction

L-Hook Electrode 36cm
381-810

J-Hook Electrode 36cm
381-812

Needle Electrode 36cm
381-814

Spectula Electrode 36cm
381-816

Ball Electrode 36cm
381-818

132° Autoclave

splenor Surgicals

LAPAROSCOPIC & ARTHOSCOPIC ELECTRODE

Dagger 12xm
381-820

Dagger 18cm
381-822

Hook 12cm
381-824

Hook 18cm
381-826

Hockey 12cm
381-828

Hockey 18cm
381-830

Frazier Suction Tube 11FR 13.5cm
381-832

Frazier Suction Tube 11FR 20.5cm
381-834

Frazier Suction Tube 11FR 40.6cm
381-836

splenor Surgicals

ELECTROSURGICAL PENCIL & ELECTRODE

ctrode handle with blade electrode for single-use. Sterile packaging in individual uches. Ready to use. This handle is made of high quality material and fits into the geon´s hand comfortably due to its ergonomic shape. The quality meets highest pectations and fulfills all required international safety regulations.

- *Single-use electrode handle including blade electrode and 3 m cable (also available: 5 m)*
- *Individually packaged, sterile.*
- *Push buttons for cutting and coagulation.*
- *Unit side: 3-pin connector.*
- *Tips are cost-effective because they Save Time and Money.*
- *Suitable also for use with ERBE, Martin or Berchtold units, by addition of an adapter especially designed for such purpose.*

132° Autoclave

splenor Surgicals

ELECTROSURGICAL PENCIL

Rocker Switch Pencil (Single Use)
3m Cable 381-854

Foot Control Pencil (Single Use)
3m Cable 381-856
5m Cable 381-858

Finger Switch Pencil (Reusable)
3m Silicon Cable 381-860

Finger Switch Pencil (Single Use)
3m Cable 381-850
5m Cable 381-852

Electrode Handle (Reusable)
3m Silicon Cable 381-862

132° Autoclave

splenor Surgicals

ELECTRODE 2.4MM

Blade Electrode
Disposable: 381-900-S Reusable: 381-900-R

Blade Electrode Crv
Disposable: 381-902-S Reusable: 381-902-R

Needle Electrode
Disposable: 381-904-S Reusable: 381-904-R

Needle Electrode Crv
Disposable: 381-906-S Reusable: 381-906-R

Ball Electrode 2mm
Disposable: 381-908-S Reusable: 381-908-R

Ball Electrode Crv 2mm
Disposable: 381-910-S Reusable: 381-910-R

Ball Electrode 3mm
Disposable: 381-912-S Reusable: 381-912-R

Ball Electrode 3mm Crv
Disposable: 381-914-S Reusable: 381-914-R

Ball Electrode 4mm
Disposable: 381-916-S Reusable: 381-916-R



Ball Electrode 4mm Crv
Disposable: 381-918-S Reusable: 381-918-R

Ball Electrode 5mm
Disposable: 381-920-S Reusable: 381-920-R

Ball Electrode 5mm Crv
Disposable: 381-922-S Reusable: 381-922-R

Blade Electrode Shaft 13cm
Disposable: 381-924-S Reusable: 381-924-R

Needle Electrode Shaft 13cm
Disposable: 381-926-S Reusable: 381-926-R

Ball Electrode 3mm Shaft 13cm
Disposable: 381-928-S Reusable: 381-928-R

Ball Electrode 5mm Shaft 13cm
Disposable: 381-930-S Reusable: 381-930-R

Conization Electrode
Disposable: 381-932-S Reusable: 381-932-R

Circle Loop Electrode 4mm
Disposable: 381-934-S Reusable: 381-934-R

Circle Loop Electrode 6mm
Disposable: 381-936-S Reusable: 381-936-R

Circle Loop Electrode 8mm
Disposable: 381-938-S Reusable: 381-938-R

Diamond Electrode
Disposable: 381-940-S Reusable: 381-940-R

Fine Needle Electrode
Disposable: 381-942-S Reusable: 381-942-R

132° Autoclave

splenor Surgicals

LOOP ELECTRODE 2.4MM

Size	1.0x0.4cm	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm
Disposable	381-944-S	381-946-S	381-948-S	381-950-S	381-952-S
Reusable	381-944-R	381-946-R	381-948-R	381-950-R	381-952-R

Size	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm	1.0x1.5cm
Disposable	381-954-S	381-956-S	381-958-S	381-960-S	381-962-S
Reusable	381-954-R	381-956-R	381-958-R	381-960-R	381-962-R

Size	1.5x0.5cm	1.5x0.7cm	1.5x0.8cm	1.5x1.0cm	1.5x1.2cm	1.5x1.5cm
Disposable	381-964-S	381-966-S	381-968-S	381-970-S	381-972-S	381-974-S
Reusable	381-964-R	381-966-R	381-968-R	381-970-R	381-972-R	381-974-R

Size	2.0x0.8cm	2.0x1.0cm	2.0x1.2cm	2.0x1.3cm	2.0x1.5cm	2.0x2.0cm
Disposable	381-976-S	381-978-S	381-980-S	381-982-S	381-984-S	381-986-S
Reusable	381-976-R	381-978-R	381-980-R	381-982-R	381-984-R	381-986-R

132° Autoclave

splenor Surgicals

ELECTRODE 4.0MM

Blade Electrode
Disposable: 381-1000-S Reusable: 381-1000-R



Blade Electrode Crv
Disposable: 381-1002-S Reusable: 381-1002-R

Needle Electrode
Disposable: 381-1004-S Reusable: 381-1004-R

Needle Electrode Crv
Disposable: 381-1006-S Reusable: 381-1006-R

Ball Electrode 2mm
Disposable: 381-1008-S Reusable: 381-1008-R

Ball Electrode Crv 2mm
Disposable: 381-1010-S Reusable: 381-1010-R

Ball Electrode 3mm
Disposable: 381-1012-S Reusable: 381-1012-R

Ball Electrode 3mm Crv
Disposable: 381-1014-S Reusable: 381-1014-R

Ball Electrode 4mm
Disposable: 381-1016-S Reusable: 381-1016-R

Ball Electrode 4mm Crv
Disposable: 381-1018-S Reusable: 381-1018-R

Ball Electrode 5mm
Disposable: 381-1020-S Reusable: 381-1020-R

Ball Electrode 5mm Crv
Disposable: 381-1022-S Reusable: 381-1022-R

Blade Electrode Shaft 13cm
Disposable: 381-1024-S Reusable: 381-1024-R

Needle Electrode Shaft 13cm
Disposable: 381-1026-S Reusable: 381-1026-R

Ball Electrode Shaft 3mm 13cm
Disposable: 381-1028-S Reusable: 381-1028-R

Ball Electrode 4mm Shaft 13cm
Disposable: 381-1030-S Reusable: 381-1030-R

Ball Electrode 5mm 13cm
Disposable: 381-1032-S Reusable: 381-1032-R

Circle Loop Electrode 4mm 0.7cm
Disposable: 381-1034-S Reusable: 381-1034-R

Circle Loop Electrode 6mm 0.7cm
Disposable: 381-936-S Reusable: 381-936-R

Circle Loop Electrode 8mm 0.7cm
Disposable: 381-1038-S Reusable: 381-1038-R

Circle Loop Electrode 10mm 0.7cm
Disposable: 381-940-S Reusable: 381-940-R

Plate Electrode Small
Disposable: 381-1042-S Reusable: 381-1042-R

Plate Electrode Large
Disposable: 381-1044-S Reusable: 381-1044-R

132° Autoclave

splenor Surgicals

LOOP ELECTRODE 4.0MM

Size	1.0x0.4cm	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm
Disposable	381-1046-S	381-1048-S	381-1050-S	381-1052-S	381-1054-S
Reusable	381-1046-R	381-1048-R	381-1050-R	381-1052-R	381-1054-R

Size	1.0x0.5cm	1.0x0.7cm	1.0x0.8cm	1.0x1.0cm	1.0x1.5cm
Disposable	381-1056-S	381-1058-S	381-1060-S	381-1062-S	381-1064-S
Reusable	381-1056-R	381-1058-R	381-1060-R	381-1062-R	381-1064-R

Size	1.5x0.5cm	1.5x0.7cm	1.5x0.8cm	1.5x1.0cm	1.5x1.2cm	1.5x1.5cm
Disposable	381-1066-S	381-1068-S	381-1070-S	381-1072-S	381-1074-S	381-1076-S
Reusable	381-1066-R	381-1068-R	381-1070-R	381-1072-R	381-1074-R	381-1076-R

Size	2.0x0.8cm	2.0x1.0cm	2.0x1.2cm	2.0x1.3cm	2.0x1.5cm	2.0x2.0cm
Disposable	381-1078-S	381-1080-S	381-1082-S	381-1084-S	381-1086-S	381-1088-S
Reusable	381-1078-R	381-1080-R	381-1082-R	381-1084-R	381-1086-R	381-1088-R

splenor Surgicals

ELECTROSURGICAL CABLES

Crosstex Cables are available in disposable and reusable grade. We offer high quality silicon cables even for our single-use instruments thus making sure that all cables are able to withstand electrical current above the standard requirements. Furthermore, numerous tests including continuity and leak test ensures that our cables will work under the toughest requirements. Multiples sizes and plugs are available as per the need of the customer. Our cables are durable, flexible and able to withstand sterilization processes if needed. By following international standards we ensure that our cables are compatible with most major ESU's. Our cables are available in lengths 3 m, 4 m or 5 m.

132° Autoclave

splenor Surgicals

ELECTROSURGICAL CABLES

Bipolar Cable
Instruments Connector: **USA 2-Pin Plug**
Generator Connector: **4mm Banana Plug**
Reusable Silicon 3m Cable **381-1100**
Single Use 3m Cable **381-1102**

Bipolar Cable
Instruments Connector: **European Flat Plug**
Generator Connector: **4mm Banana Plug**
Reusable Silicon 3m Cable **381-1104**
Single Use 3m Cable **381-1106**

Bipolar Cable
Instruments Connector: **USA 2-Pin Plug**
Generator Connector: **Pin Distance 29mm**
Reusable Silicon 3m Cable 381-1112
Single Use 3m Cable 381-1114



Bipolar Cable
Instruments Connector: **European Flat Plug**
Generator Connector: **Pin Distance 29mm**
Reusable Silicon 3m Cable 381-1108
Single Use 3m Cable 381-1110

Bipolar Cable
Instruments Connector: **Bipolar Artery Sealer**
Generator Connector: **4mm Banana Plug**
Reusable Silicon 3m Cable 381-1116

132° Autoclave

splenor Surgicals

ELECTROSURGICAL CABLES



European Bipolar Cable
Instruments Connector: **European Flat Plug**
Generator Connector: **Martin Type**
Reusable Silicon 3m Cable **381-1118**



US Bipolar Cable
Instruments Connector: **USA 2-Pin Plug**
Generator Connector: **Martin Type**
Reusable Silicon 3m Cable **381-1120**



European Bipolar Cable
Instruments Connector: **European Flat Plug**
Generator Connector: **Erbe Type**
Reusable Silicon 3m Cable **381-1122**

US Bipolar Cable
Instruments Connector: **USA 2-Pin Plug**
Generator Connector: **Erbe Type**
Reusable Silicon 3m Cable **381-1124**

Bipolar Cable
Instruments Connector: **Ethicon**
Generator Connector: **4mm Banana Plug**
Reusable Silicon 3m Cable **381-1126**

132° Autoclave

splenor Surgicals

ELECTROSURGICAL CABLES

Monopolar Cable
Instruments Connector: **Screw Type**
Generator Connector: **Standard Bovie 8mm Plug**
Reusable Silicon 3m Cable **381-1128**

Monopolar Cable
Instruments Connector: **4mm Female Fitting**
Generator Connector: **Standard Bovie 8mm Plug**
Reusable Silicon 3m Cable **381-1130**

Monopolar Endoscopic Cable
Instruments Connector: **4mm Female Fitting**
Generator Connector: **4mm Banana Plug**
Reusable Silicon 3m Cable **381-1132**

Diathemry Cable
Instruments Connector: **4mm Male Fitting**
Generator Connector: **4mm Banana Plug**
Reusable Silicon 3m Cable **381-1134**

Diathemry Cable
Instruments Connector: **4.8mm Female Fitting**
Generator Connector: **4mm Banana Plug**
Reusable Silicon 3m Cable **381-1136**

Diathemry Cable
Instruments Connector: **4.8mm Female Fitting**
Generator Connector: **Stan. Bovie 8mm Plug**
Reusable Silicon 3m Cable **381-1138**

splenor Surgicals

ELECTROSURGICAL CABLES

Crosste
quality
cables
Further
cables
availab
able t
standa
Our ca

posable and reusable grade. We offer high
gle-use instruments thus making sure that all
al current above the standard requirements.
g continuity and leak test ensures that our
requirements. Multiples sizes and plugs are
tomer. Our cables are durable, flexible and
esses if needed. By following international
es are compatible with most major ESU's.
m, 4 m or 5 m.

splenor
Surgicals

Splenor Group Of Industries

Manufacturers of Electrosurgical Instruments.

Manufacturing Unit:

Address: C-162 S.I.E Sialkot
-Paksitan

Tel: +92 52 3255102
Fax: +92 52 3255102
Email: info@splenorsurgicals.com
Web: www.splenorsurgicals.com

© Splenor Group of Industries 2013